MoorMan's[®] MoorFat[™]

Product Number

235AAA

A Supplement for Pre-farrowing and Lactating Sows, and for Swine, Cattle, Sheep, and Goats Being Fed for Exhibition

Product Positioning

MoorFat is a unique energy supplement for exhibition swine, cattle, sheep, and goats and for pre-farrowing and lactating sows. It can be used to increase ration energy density in pre-farrowing and lactation swine rations. MoorFat can be used to enhance condition and performance of exhibition swine, cattle, sheep, and goats. Components of MoorFat yield a smooth, well-defined body condition along with healthy skin and a glossy hair coat. Long-term feeding (at least 30 to 60 days) of MoorFat may provide a more preferred "finish" in exhibition livestock that are too lean in body composition. MoorFat can be used to conveniently increase energy levels when feed intake is depressed during stress or hot weather to keep show animals growing and/or performing at their peak and to meet energy needs during pre-farrowing and lactation.

Product Description

MoorFat is an energy supplement comprised of animal fat encapsulated in a milk protein carrier in powder form.

Features	Benefits
Energy from animal fat	Provides a hard, clean cover and finish for show animals; provides extra energy needed for optimal growth and lactation performance.
Palatable	Readily consumed; encourages feed intake, which is advantageous during hot weather when feed intake may be depressed.
Dry, powder form	Eliminates the need to have a fat tank to hold liquid fat; easy to mix in rations; easy to top-dress.

Product form:

50-lb bag (235AA)

• Powder form in 18-lb pail (235AAAJN) and

Recommended consumption:

• Show pigs, show sheep and show goats: 2-4 oz/head/day top-dressed

- Show cattle: 4-8 oz/head/day top-dressed
- Pre-farrowing: 120 lb/ton or 6.4 oz (0.4 lb)/head/day top-dressed
- Lactation: 120 lb/ton or 11.2 oz (0.7 lb)/head/day top-dressed

Guar	antee	d Ana	lysis
Curda	Ductoin	ma in	

Ingredients

 Crude Protein, min.
 4.0%

 Crude Fat, min.
 80.0%

 Crude Fiber, max.
 0.1%

Instructions for Feeding

Not a complete feed – must be fed according to the following directions.

Show Cattle: MoorFat may be top-dressed over the daily ration at the rate of 1/4 lb (4 oz) to 1/2 lb (8 oz) per head daily. If more than 1/2 lb (8 oz) per head daily is needed to achieve desired body condition, additional vitamin and mineral supplementation may be required.

Show Swine, Sheep, and Goats: MoorFat may be top-dressed over the daily ration at the rate of $\frac{1}{8}$ lb (2 oz) to $\frac{1}{4}$ lb (4 oz) per head per day, not to exceed 10% of daily intake. If top-dressed over the daily ration at a rate greater than $\frac{1}{4}$ lb (4 oz) per head per day, additional vitamin and mineral supplementation may be required. MoorFat may also be mixed at the rate of 120 lb per ton (6%) in show swine, sheep, and goat rations.

Pre-farrowing (10 to 14 days before farrowing): Mix 120 lb of MoorFat per ton (6%) in pre-farrowing rations. MoorFat may be top-dressed over the daily ration of sows and gilts at the rate of 0.4 lb (6.4 oz) per head per day.

Lactation (farrowing to weaning): Mix 120 lb of MoorFat per ton (6%) in lactation rations. MoorFat may be top-dressed over the daily ration of sows and gilts at the rate of 0.7 lb (11.2 oz) per head per day.



June 2018 • Page 1 of 1

Show Livestock

