

ADM MasterGain® 8/4 IGR Tub

53377PBJ

To prevent the breeding of horn flies in the manure of treated cattle only.

A pesticidally active feed concentrate for beef cattle containing methoprene insect growth regulator for continuous feeding during the fly season.

ACTIVE INGREDIENT: S-methoprene (CAS Number 65733-16-6).....0.01%

OTHER INGREDIENTS:99.99%

TOTAL100.00%

GUARANTEED ANALYSIS

Calcium (Ca), Min	7.5%	Max.....	9.0%
Phosphorus (P), Min			4.0%
Salt (NaCl), Min	7.5%	Max.....	9.0%
Magnesium (Mg), Min.....			3.0%
Potassium (K), Min.....			1.0%
Copper (Cu), Min			1,000 ppm
Selenium (Se), Min.....			26.4 ppm
Zinc (Zn), Min			4,000 ppm
Vitamin A, Min			150,000 IU per pound.
Vitamin D ₃ , Min			25,000 IU per pound.
Vitamin E, Min			150 IU per pound.

INGREDIENTS

Processed Grain By-Products, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Molasses Products, Salt, Plant Protein Products, Magnesium Oxide, Potassium Chloride, Iron Oxide, Manganous Oxide, Zinc Oxide, Copper Sulfate, Sodium Selenite, Vitamin A Supplement, Vitamin D₃ Supplement, Mineral Oil, Cobalt Carbonate, Ferrous Sulfate, Vitamin E Supplement, Ethylenediamine Dihydriodide.

EPA REG. NO. 1157-50

EPA Est. 1157-IL-01

Keep out of reach of children

CAUTION

Use this product as specified on the label.

PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Make sure cattle are not starved for minerals or salt by providing them before feeding MasterGain 8/4 IGR Tub. Then remove salt or mineral supplement and place MasterGain 8/4 IGR Tub before cattle as the only source of minerals. Start feeding this product continuously in the spring before horn flies appear on cattle and continue feeding until cold weather restricts horn fly activity.

The recommended consumption of MasterGain 8/4 IGR Tub is 0.5 lb (1/2 lb) to 1 lb per 100 lb of body weight per month. Protect this product from rain.

If consumption of this product is above 0.5 lb (1/2 lb) to 1.0 lb, reduce the number of feeding locations where this product is fed or relocate this product in areas less frequented by cattle.

If consumption of this product is below 0.5 lb (1/2 lb) to 1.0 lb, increase the number of feeding stations where this product is fed or relocate this product in areas more frequented by cattle.

Consumption of this product by sheep and goats may result in copper toxicity.

STORAGE AND DISPOSAL

Do not contaminate water or food by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty the tub into application equipment. Then dispose of tub in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115

Lot No.

NET WT 200 LB (90.9 kg)

18717